

## Scientific Documentation

### **Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP**

Not appropriate for regulatory submission.

Please visit [www.spectrumchemical.com](http://www.spectrumchemical.com) or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp  
769 Jersey Avenue  
New Brunswick, NJ 08901  
Phone 732.214.1300



## **Table of Contents**

Product Specification  
Certificate of Analysis  
Safety Data Sheet (SDS)  
Certification of Current Good Manufacturing Practices (cGMP)  
Manufacturing Process Flowchart  
Technical Statements  
Elemental Impurities Statement  
Residual Solvents Statement  
General Label Information – Sample Label

## Specification for Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP (CA194)

Item Number	CA194
Item	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP
CAS Number	9004-32-4
Molecular Formula	
Molecular Weight	
MDL Number	
Synonyms	Sodium Carboxymethylcellulose ; Base H ; Carmellose Sodium ; Cellulose, Carboxymethyl Ether Sodium Salt

Test	Specification	
	Min	Max
VISCOSITY OF 1% AQUEOUS SOLUTION @25°C	1,500	3,000 cP
SODIUM (DRIED BASIS)	6.5	9.5%
pH OF A 1 % SOLUTION @ 25°C	6.5	8.5
LOSS ON DRYING		10.0%
ELEMENTAL IMPURITIES	AS REPORTED	
IDENTIFICATION (A)	RED PURPLE COLOR DEVELOPS	
IDENTIFICATION (B)	FINE WHITE PRECIPITATE FORMS	
IDENTIFICATION (C)	POSITIVE FOR SODIUM	
CERTIFIED HALAL		
APPEARANCE		
RETEST DATE		
DATE OF MANUFACTURE		
RESIDUAL SOLVENTS	AS REPORTED	

***Spectrum Chemical Mfg Corp***

---

<b><i>Corporate Headquarters:</i></b>	<b><i>West Coast Facility:</i></b>
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000

## Certificate Of Analysis

Item Number	CA194	Lot Number	1NB0097
Item	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP	CAS Number	9004-32-4

TEST	SPECIFICATION		RESULT
	MIN	MAX	
VISCOSITY OF 1% AQUEOUS SOLUTION @25°C	1,500	3,000 cP	2,800 cP
SODIUM (DRIED BASIS)	6.5	9.5%	7.9 %
pH OF A 1 % SOLUTION @ 25°C	6.5	8.5	7.4
LOSS ON DRYING		10.0%	3.5 %
ELEMENTAL IMPURITIES	AS REPORTED		COMPLIES WITH STANDARD
IDENTIFICATION (A)	RED PURPLE COLOR DEVELOPS		RED PURPLE COLOR DEVELOPS
IDENTIFICATION (B)	FINE WHITE PRECIPITATE FORMS		FINE WHITE PRECIPITATE FORMS
IDENTIFICATION (C)	POSITIVE FOR SODIUM		POSITIVE FOR SODIUM
CERTIFIED HALAL			CERTIFIED HALAL
APPEARANCE			OFF-WHITE POWDER
RETEST DATE			01-OCT-2027
DATE OF MANUFACTURE			01-NOV-2023
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS PRESENT
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ  
Hernan Bermudez  
01-MAR-24 11:38:36

Certificate of Analysis Results Approved By:

SHANSEN  
Selin Hansen  
01-MAR-24 12:09:52

Spectrum Chemical Mfg Corp  
14422 South San Pedro Street  
Gardena 90248 CA



**All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.**

**Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.**

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# SAFETY DATA SHEET

# spectrum®



Revision date 14-April-2024

Revision Number 3

## 1. Identification

### Product identifier

**Product Name** CARBOXYMETHYLCELLULOSE SODIUM, HIGH VISCOSITY, VISCOSITY OF 1 PERCENT AQUEOUS SOLUTION @ 25 DEG C: 1500-3000 CPS, USP

### Other means of identification

**Product Code(s)** CA194

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** No information available

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Supplier Address

Spectrum Chemical Mfg. Corp.  
14422 South San Pedro St.  
Gardena, CA 90248  
(310) 516-8000

### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### **Warning**

#### **Hazard statements**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

The product contains no substances which at their given concentration, are considered to be hazardous to health.

<b>Appearance</b>	powder or granules	<b>Physical state</b>	Solid	<b>Odor</b>	No information available
-------------------	--------------------	-----------------------	-------	-------------	--------------------------

**Other information**

No information available.

**3. Composition/information on ingredients****Substance**

Chemical name	CAS No	Weight-%
Carboxymethylcellulose Sodium	9004-32-4	100

**4. First-aid measures****Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. If symptoms persist, call a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	Carbon Monoxide, Carbon Dioxide.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	none.

**Sensitivity to static discharge** none.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

## 8. Exposure controls/personal protection

### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical state</b>	Solid
<b>Appearance</b>	powder or granules
<b>Color</b>	White to Cream
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	no data available	None known
<b>Melting point / freezing point</b>	no data available	None known
<b>Boiling point / boiling range</b>	no data available	None known
<b>Flash point</b>	no data available	None known
<b>Evaporation rate</b>	no data available	None known
<b>Flammability (solid, gas)</b>	no data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	no data available	None known
<b>Relative density</b>	1.6	None known
<b>Water solubility</b>	Soluble in water	None known
<b>Solubility(ies)</b>	no data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	no data available	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>	no data available	None known
<b>Dynamic viscosity</b>	No data available	None known

### Other information

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. Stability and reactivity

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	Strong acids. Strong bases. Strong oxidizing agents.
<b>Hazardous decomposition products</b>	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Redness. May cause redness and tearing of the eyes.
-----------------	---

### Acute toxicity

#### Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carboxymethylcellulose Sodium 9004-32-4	= 27000 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	> 5800 mg/m <sup>3</sup> ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Irritating to skin.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.
<b>Other adverse effects</b>	No information available.
<b>Interactive effects</b>	No information available.

## 12. Ecological information

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
---------------	----------------------	------	----------------------------	-----------

Carboxymethylcellulose Sodium 9004-32-4	-	>20000 mg/l 96 h LC50 ONcorhynchus mykiss (Rainbow Trout) (Ecotox - U.S. EPA)	-	87.26 mg/l 48 h EC50 Ceriodaphnia dubia (Ecotox - U.S. EPA)
--	---	--	---	---

**Persistence and degradability** No information available.

**Bioaccumulation** Inherently biodegradable.

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### 14. Transport information

DOT not regulated

TDG not regulated

MEX not regulated

ICAO (air) not regulated

IATA not regulated

IMDG not regulated

RID not regulated

ADR not regulated

ADN not regulated

### 15. Regulatory information

#### International Inventories

**TSCA** Complies

**DSL/NDSL** Complies  
**EINECS/ELINCS** Does not Comply  
**ENCS** This product complies with ENCS:  
**IECSC** This product complies with China:  
**KECL** Complies  
**PICCS** Complies  
**AICS** All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## **16. Other information**

#### **NFPA**

**Health hazards** 0

**Flammability** 0

**Instability** 0

**Physical and chemical properties** -

#### **HMIS**

**Health hazards** 0

**Flammability** 0

**Physical hazards** 0

**Personal protection** X

#### **Key or legend to abbreviations and acronyms used in the safety data sheet**

##### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 14-April-2024  
**Revision Note** No information available.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**



**Certification of Compliance with current Good Manufacturing Practices**

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
CA194	Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632  
Spectrum-New Brunswick, NJ: 2246824


Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at [qualityassurance@spectrumchemical.com](mailto:qualityassurance@spectrumchemical.com)

Sincerely,

Oralia Chavez  
Quality Assurance Specialist

## Manufacturing Process Flowchart

**Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent  
Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP (Cat# CA194)**



### CORPORATE HEADQUARTERS

769 Jersey Avenue  
New Brunswick, NJ 08901  
PHONE 732.214.1300  
FAX 732.246.7132

### WEST COAST FACILITY

14422 South San Pedro Street  
Gardena, California 90248  
PHONE 310.516.8000  
FAX 310.516.9843

## **CA194, Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP**

### **Source Statement**

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

### **BSE/TSE Statement**

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

### **Allergen Statement**

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy
- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

### **EU Fragrance Allergen Statement**

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

### **GMO Statement**

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

## **Melamine Statement**

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

## **Nitrosamine Statement**

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

## **Animal Testing Statement**

The above mentioned catalog item has not been tested on animals.

## **Organic Compliance Statement**

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

## **Shelf Life Statement**

The above mentioned catalog item is typically assigned a shelf life of 48 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

## **Other Chemicals Statement**

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- |                     |                 |
|---------------------|-----------------|
| • Aflatoxins        | • Parabens      |
| • Antibiotics       | • Pesticides    |
| • Bisphenol A (BPA) | • Phthalates    |
| • CMR Substances    | • Preservatives |



**RE: Elemental Impurities - Carboxymethylcellulose Sodium, High Viscosity, Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP( Cat# CA194)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

Elemental Impurity		Class	Expected Concentration
Arsenic	As	1	< 0.75 ppm
Mercury	Hg	1	< 1.5 ppm
Cobalt	Co	2A	< 2.5 ppm
Vanadium	V	2A	< 5 ppm
Nickel	Ni	2A	< 10 ppm
Gold	Au	2B	< 5 ppm
Osmium	Os	2B	< 5 ppm
Copper	Cu	3	< 150 ppm
Chromium	Cr	3	< 550 ppm

Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

**CORPORATE HEADQUARTERS**

769 Jersey Avenue  
New Brunswick, NJ 08901  
PHONE 732.214.1300  
FAX 732.246.7132

**WEST COAST FACILITY**

14422 South San Pedro Street  
Gardena, California 90248  
PHONE 310.516.8000  
FAX 310.516.9843



**RE: Residual Solvents - Carboxymethylcellulose Sodium, High Viscosity,  
Viscosity of 1 Percent Aqueous Solution @ 25 DEG C: 1500-3000 cP, USP (Cat#  
CA194)**

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at [TechServices@spectrumchemical.com](mailto:TechServices@spectrumchemical.com).

Sincerely,

Technical Services  
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street

Gardena, California 90248

PHONE 310.516.8000


FAX 310.516.9843

## Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

**USE CARE:** This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

**KEEP FROM CHILDREN**



**CA194** **500 ML**  
**Carboxymethylcellulose**  
**Sodium**  
 (Carmellose Sodium; Cellulose, Carboxymethyl Ether Sodium Salt; Sodium Carboxymethylcellulose)  
 Viscosity of 1% Aqueous Solution @ 25°C: 1500-3000 cP  
 High Viscosity, USP  
 CAS 9004-32-4

**CAUTION:** For manufacturing, processing or repacking. Read and understand the label and Safety Data Sheet (SDS) prior to use.

**Chemical Emergency: (800)424-9300**  
[www.SpectrumChemical.com](http://www.SpectrumChemical.com)

**Actual Viscosity of 1% Aqueous Solution @ 25°C** ..... ? cP  
**Sodium (Dried Basis)** ..... 6.5-9.5%  
**pH of a 1% Solution @ 25°C** ..... 6.5-8.5  
**MAXIMUM LIMITS**  
**Loss on Drying** ..... 10.0%  
**Elemental Impurities** ..... As reported  
**Residual Solvents** ..... To pass test

**WARNING:** Cancer and Reproductive Harm-  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Retest Date: 03-31-2030

G 12/H6GHS

A 0 Lot No. 062233

**SPECTRUM CHEMICAL MFG. CORP. Gardena, CA 90248 • New Brunswick, NJ 08901**

- |   |   |   |
|---|---|---|
| <p><b>A</b> Bar Code</p> <p><b>B</b> GHS Hazard Pictograms</p> <p><b>C</b> Warning, Safety Data and Precautionary Information</p> <p><b>D</b> Product Catalog Number</p> <p><b>E</b> Item Name, Form, Grade</p> <p><b>F</b> Size/Quantity</p> | <p><b>G</b> Chemical Abstracts Service (CAS) Registry Number</p> <p><b>H</b> Caution Information</p> <p><b>I</b> DOT Shipping Information</p> <p><b>J</b> Toll-Free 24-Hour Chemical Emergency Telephone Number</p> | <p><b>K</b> Empirical Formula, Formula Weight and Technical Specifications Panel</p> <p><b>L</b> Expiration Information</p> <p><b>M</b> Lot Number</p> <p><b>N</b> Kosher Certified by Kosher Supervision of America (KSA).</p> <p><b>O</b> Storage Color Band</p> <p><b>P</b> Halal Certified by IFANCA</p> <p><b>Q</b> bioCertified</p> |
|---|---|---|

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

- YELLOW:** Oxidizer
- RED:** Flammable
- GREEN:** General Storage
- BLUE:** Health Hazard
- WHITE:** Corrosive

### Spectrum Chemical Mfg Corp

#### Corporate Headquarters:

769 Jersey Ave.  
 New Brunswick, NJ 08901  
 732.214.1300

#### West Coast Facility:

14422 S. San Pedro St.  
 Gardena, CA 90248  
 310.516.8000