

Scientific Documentation

Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED (TM)

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp 769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300





Table of Contents

Product Specification Certificate of Analysis Safety Data Sheet (SDS) Certification of Current Good Manufacturing Practices (cGMP) Manufacturing Process Flowchart Technical Statements Elemental Impurities Statement Residual Solvents Statement General Label Information – Sample Label Kosher Certification



Specification for Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED (TM) (S9300)

Item Number	S9300
Item	Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED (TM)
CAS Number	7558-79-4
Molecular Formula	Na ₂ HPO ₄
Molecular Weight	141.96
MDL Number	
Synonyms	Disodium Phosphate ; Sodium Phosphate, Dibasic ; Disodium Hydrogen Phosphate ; Dibasic Sodium Phosphate

Test	Specif	ication
	Min	Max
ASSAY (DRIED BASIS, USP)	98.0	100.5 %
ASSAY (DRIED BASIS, EP)	98.0	101.0 %
APPEARANCE OF SOLUTION	TO PASS TEST	
LOSS ON DRYING (USP)		5.0 %
LOSS ON DRYING (EP)		1.0 %
INSOLUBLE SUBSTANCES		0.4 %
MONOSODIUM PHOSPHATE		2.5 %
REDUCING SUBSTANCES		TO PASS TEST
CHLORIDE (Cl)		200 ppm
SULFATE (SO ₄)		500 ppm
ARSENIC (As)		16 ppm
IRON		20 ppm
ELEMENTAL IMPURITIES	AS REPORTED	
MICROBIAL LIMITS:		
ТАМС		1000 CFU/g
ТҮМС		100 CFU/g
Endotoxins		10 IU/g
IDENTIFICATION		TO PASS TEST

Test	Specif	ication
	Min	Max
CERTIFIED KOSHER		
EXPIRATION DATE		
DATE OF MANUFACTURE		
APPEARANCE		
RESIDUAL SOLVENTS		AS REPORTED

Spectrum Chemical Mfg Corp

Corporate Headquarters:	West Coast Facility:
769 Jersey Ave.	14422 S. San Pedro St.
New Brunswick, NJ 08901	Gardena, CA 90248
732.214.1300	310.516.8000



Certificate Of Analysis

Item Number	\$9300	Lot Number	4MJ0010
Item	Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED (TM)	CAS Number	7558-79-4
Molecular Formula	Na ₂ HPO ₄	Molecular Weight	141.96

TECT	SPECIFICATION		DECUM T	
TEST	MIN	MAX	RESULT	
ASSAY (DRIED BASIS, USP)	98.0	100.5 %	98.9 %	
ASSAY (DRIED BASIS, EP)	98.0	101.0 %	99.9 %	
APPEARANCE OF SOLUTION	TO PASS TEST		PASSES TEST	
LOSS ON DRYING (USP)		5.0 %	0.25 %	
LOSS ON DRYING (EP)		1.0 %	1.0 %	
INSOLUBLE SUBSTANCES		0.4 %	0.39 %	
MONOSODIUM PHOSPHATE		2.5 %	< 2.5 %	
REDUCING SUBSTANCES		TO PASS TEST	PASSES TEST	
CHLORIDE (CI)		200 ppm	< 200 ppm	
SULFATE (SO ₄)		500 ppm	< 500 ppm	
ARSENIC (As)		16 ppm	< 0.05 ppm	
IRON		20 ppm	< 20 ppm	
ELEMENTAL IMPURITIES	AS REPORTED		COMPLIES WITH STANDARD	
MICROBIAL LIMITS:				
ТАМС		1000 CFU/g	< 10 CFU/g	
ТҮМС		100 CFU/g	< 10 CFU/g	
Endotoxins		10 IU/g	< 9.6 IU/g	
IDENTIFICATION		TO PASS TEST	PASSES TEST	
CERTIFIED KOSHER			CERTIFIED KOSHER	
EXPIRATION DATE			04-APR-2026	
DATE OF MANUFACTURE			05-APR-2023	
APPEARANCE			FINE WHITE POWDER	
RESIDUAL SOLVENTS		AS REPORTED	NO RESIDUAL SOLVENTS PRESENT	

Certificate of Analysis Results Entered By:

MCAMACHO Matheu Camacho 10-NOV-23 08:51:07

Spectrum Chemical Mfg Corp 777 Jersey Avenue New Brunswick 08901 NJ



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

Certificate of Analysis Results Approved By:

BPATEL Bhargavi Patel 13-NOV-23 07:49:02

SAFETY DATA SHEET

Revision date 17-August-2021

1. Identification	
Product identifier	
Product Name	DIBASIC SODIUM PHOSPHATE, ANHYDROUS, USP, EP, BIOCERTIFIED(TM)
Other means of identification	
Product Code(s)	S9300
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended use	No information available
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Supplier Address Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000	
Emergency telephone number	
Emergency Telephone	Chemtrec 1-800-424-9300
2. Hazard(s) identification	
<u>Classification</u>	
Serious eye damage/eye irritation	Category 2B
Hazards not otherwise classified (H Not applicable	INOC)

Label elements		
Warning		
Hazard statements Causes eye irritation		
Appearance Crystalline powder	Physical state Solid	Odor Odorless



Revision Number 1

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Other information

Causes mild skin irritation.

1 First aid maasuras

3. Composition/information on ingredients

Substance

Chemical name	CAS No	Weight-%	Trade secret
Sodium Phosphate, Dibasic	7558-79-4	100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures		
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention if irritation develops and persists. Remove contact lenses, if present and easy to do. Continue rinsing.	
Skin contact	Wash skin with soap and water.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Prolonged contact may cause redness and irritation.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	No information available.	

Explosion data Sensitivity to mechanical impact

Sensitivity to mechanical impact none.

Sensitivity to static discharge none.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Hygroscopic. It absorbs moisture from the air. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place.	

8. Exposure controls/personal protection

Control parameters	
Exposure Limits	The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.
Appropriate engineering controls	
Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	uch as personal protective equipment
Eye/face protection	None required for consumer use. Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

9. Physical and chemical properties

Information on basic physical and chemical properties

Dhysical state	Solid	
Physical state		
Appearance	Crystalline powder	
Color	White	
Odor	Odorless	
Odor threshold	No information available	
Property	<u>Values</u>	Remarks • Method
рН	9.1 (for a 1% aqueous solution at 25	None known
	deg. C)	
Melting point / freezing point	no data available	None known
Boiling point / boiling range	no data available	None known
Flash point	no data available	None known
Evaporation rate	no data available	None known
Flammability (solid, gas)	no data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Vapor density	no data available	None known
Relative density	1.7	None known
Water solubility	Easily soluble in water	None known
Solubility(ies)	Soluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	no data available	None known
Decomposition temperature		None known
Kinematic viscosity	no data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
	No information available	
Softening point	141.96	
Molecular weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk density		

10. Stability and reactivity

Reactivity	No information available.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	None known based on information supplied.	
Incompatible materials	None known based on information supplied.	
Hazardous decomposition products None known based on information supplied.		

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available. Causes eye irritation. May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, or	chemical and toxicological characteristics
Symptoms	May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.
Acute toxicity	

Numerical measures of toxicity

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
S	odium Phosphate, Dibasic 7558-79-4	= 17 g/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Germ cell mutagenicity	May cause skin irritation. Classification based on data available for ingredients. Classification based on data available for ingredients. Irritating to eyes. No information available. No information available.
Reproductive toxicity	No information available.
STOT - single exposure STOT - repeated exposure Aspiration hazard	No information available. No information available. No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

		r	microorganisms	Crustacea
Sodium Phosphate, Dibasic 7558-79-4	- >=10	00 mg/L LC50 fish	-	3580 mg/l LC50 48 hr

Persistence and degradability Bioaccumulation

No information available. Inherently biodegradable.

Other adverse effects

No information available.

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT	not regulated
TDG	not regulated
<u>MEX</u>	not regulated
ICAO (air)	not regulated
IATA	not regulated
IMDG	not regulated
RID	not regulated
ADR	not regulated
ADN	not regulated

15. Regulatory information

International Inventories

TSCA

Complies

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	This product complies with ENCS:
IECSC	This product complies with China:
KECL	Complies
PICCS	Complies
AICS	All the constituents of this material are listed on the Australian Inventory of Chemical
	Substances (AICS).

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium Phosphate, Dibasic	5000 lb final RQ	-
7558-79-4	2270 kg final RQ	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

<u>NFPA</u> Health hazards Flammability 0 Instability 0 Physical and ch <u>HMIS</u> Health hazards Flammability 0 Physical hazard Personal protec	emical properties - 1 s 0		
Key or legend to	abbreviations and acronyms used in the	safety data sheet	
	8: EXPOSURE CONTROLS/PERSONAL PI		
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value		
Agency for Toxic U.S. Environmen European Food S EPA (Environmer Acute Exposure (U.S. Environmen U.S. Environmen Food Research J Hazardous Subst International Unif Japan GHS Class Australia Nationa NIOSH (National	ance Database orm Chemical Information Database (IUCLID)	ngicide, and Rodentic e Chemicals	

National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date Revision Note <u>Disclaimer</u> 17-August-2021 No information available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

spectrum

Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
S9300	Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED ™

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA:	<u>2020632</u>
Spectrum-New Brunswick, NJ:	2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at <u>qualityassurance@spectrumchemical.com</u>


Sincerely,

Oulu Clony

Oralia Chavez Quality Assurance Specialist



Manufacturing Process Flowchart Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED ™ (Cat# S9300)



CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

S9300, Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED ™

Source Statement

The above mentioned catalog item is manufactured from mineral origin. No animal or plant derived products are used in the manufacturing process.

BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy

Cereals containing Gluten

spectrum

- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

EU Fragrance Allergen Statement

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.



Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.

Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

Animal Testing Statement

The above mentioned catalog item has been tested on animals for regulatory compliance purposes.

Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Antibiotics
- Bisphenol A (BPA)
- CMR Substances

- Parabens
- Pesticides
- Phthalates
- Preservatives

spectrum

RE: Elemental Impurities - Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED ™ (Cat# S9300)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

Elemental Impurity		Class	Expected Concentration
Cadmium	Cd	1	< 0.5 ppm
Lead	Pb	1	< 0.5 ppm
Arsenic	As	1	< 1 ppm
Mercury	Hg	1	< 1 ppm
Cobalt	Co	2A	< 5 ppm
Vanadium	V	2A	< 3 ppm
Nickel	Ni	2A	< 6 ppm
Thallium	TI	2B	Not tested
Gold	Au	2B	Not tested
Palladium	Pd	2B	Not tested
Iridium	lr	2B	Not tested
Osmium	Os	2B	Not tested
Rhodium	Rh	2B	Not tested
Ruthenium	Ru	2B	Not tested
Selenium	Se	2B	Not tested
Silver	Ag	2B	Not tested
Platinum	Pt	2B	Not tested
Lithium	Li	3	Not tested
Antimony	Sb	3	Not tested
Barium	Ba	3	Not tested
Molybdenum	Мо	3	Not tested
Copper	Cu	3	Not tested
Tin	Sn	3	Not tested
Chromium	Cr	3	Not tested

Elements indicated as "Not tested" are not intentionally added to the manufacturing process.

CORPORATE HEADQUARTERS

769 Jersey Avenue

New Brunswick, NJ 08901

PHONE 732.214.1300

FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

spectrum®

Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <u>TechServices@spectrumchemical.com.</u>

Sincerely,

Technical Services Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

AN ISO 9001:2015 REGISTERED COMPANY

www.spectrumchemical.com



RE: Residual Solvents - Dibasic Sodium Phosphate, Anhydrous, USP, EP, bioCERTIFIED ™ (Cat# S9300)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <u>TechServices@spectrumchemical.com</u>.

Sincerely,

Technical Services Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132

WEST COAST FACILITY

14422 South San Pedro Street Gardena, California 90248 PHONE 310.516.8000 FAX 310.516.9843

AN ISO 9001:2015 REGISTERED COMPANY

spectrum®

YELLOW: Oxidizer

RED: Flammable

GREEN: General Storage

BLUE: Health Hazard

WHITE: Corrosive

Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.

Na2HPO K F.W. 141.96 Dried. Assay (Dried Basis, USP) 98.0-100.53 Assay (Dried Basis, EP) 98.0-101.09 MAXIMUM LIMITS Appearance of Solution To pass test Loss on Drying (USP) 5.09 Loss on Drying (EP) 1.09 Insoluble Substances 0.49 Monosodium Phosphate 2.55 Reducing Substances To pass test Chloride (Cl) 200 ppr Sulfate (SO ₄) 500 ppr Iron 20 ppr Firon 20 ppr Iron 20 ppr Iron 20 ppr Iron 20 ppr Iron 16 ppr Iron 20 ppr Iron 100 CFU/ Sulfate (SO ₄) 100 CFU/ Iron 100 CFU/
Assay (Dried Basis, EP) 98.0-101.05 MAXIMUM LIMITS 98.0-101.05 Appearance of Solution 70 pass ter Loss on Drying (USP) 100 Loss on Drying (EP) 100 Insoluble Substances 0.44 Monosodium Phosphate 2.55 Reducing Substances 0.44 Reducing Substances 0.44 Residual Solvents 70 pass ter Microbial Limits: 70 pass ter Microbial Limits: 700 CFU/ Endotoxins 10 UV/
Appearance of Solution To pass te Loss on Drying (USP) 5.0° Loss on Drying (EP) 1.0° Insoluble Substances 0.4° Monosodium Phosphate 2.5° Reducing Substances 0.4° Chloride (CI) 200 pp Sulfate (S0 ₄) 500 pp Arsenic (As) 16 pp Iron 20 pp Elemental Impurities As reporte Residual Solvents To pass te Further Microbial Limits: ations. TAMC 1000 CFU, Elemental Limits: 100 CFU, TYMC 100 UFU, Endotoxins 10 UU
Loss on Drying (USP) 5.0° Loss on Drying (EP) 1.0° Insoluble Substances 0.4° Monosodium Phosphate 2.5° Reducing Substances 10° Sulfate (SO ₄) 200 pp Sulfate (SO ₄) 500 pp Iron 20 pp Iron 20 pp Elemental Impurities As reporte Reicoing Limits: To pass te Microbial Limits: 1000 CFU, TYMC 1000 CFU, Endotoxins 101 UU
Loss on Drying (EP)
Insoluble Substances 0.4 Monosodium Phosphate 2.5 Reducing Substances To pass te Chloride (Cl) 200 pp Sulfate (S0,4) 500 pp Arsenic (As) 16 pp Iron 20 ps Incohal Limits: To pass te Microbial Limits: 1000 CFU (SDS) TYMC 100 CFU Endotoxins 10 U
Perform Reducing Substances To pass te Chloride (Cl). Chloride (Cl). 200 pp Sulfate (SQ.) 500 pp Arsenic (As) 16 pp Iron 20 pp Elemental Impurities As reporte Residual Solvents To pass te Microbial Limits: 1000 CFU (SDS) TYMC 100 CFU Endotoxins 101 U
Chloride (Cl)
Sulfate (SQ ₄) 500 pp Arsenic (As) 16 pp Iron 20 pp Elemental Impurities As report Residual Solvents To pass te Microbial Limits: 1000 CFU (SDS) TYMC 1000 CFU Endotoxins 100 UFU
Arsenic (As) 16 pp Iron 20 pp Iron 20 pp Elemental Impurities As report Residual Solvents To pass te Microbial Limits: 1000 CFU (SDS) TYMC 1000 CFU Endotoxins 100 III CFU
Iron 20 pp Elemental Impurities As report Residual Solvents To pass te Microbial Limits: 1000 CFU (SDS) TYMC Indotoxins 1010
Elemental ImpuritiesAs report Residual SolventsTo pass te Microbial Limits: ations. TAMC
Residual Solvents To pass te Further Microbial Limits: ations. TAMC (SDS) TYMC Endotoxins 100 CFU Endotoxins 100 UFU
Further Microbial Limits: ations. TAMC (SDS) TYMC Endotoxins 100 CFU Endotoxins 10 U
ations. TAMC
(SDS) TYMC
Endotoxins 10 IU
G 2/K4GHS A O Lot No. 06223
G 2/K4GHS A OLOT NO. 06223. 20248 • New Brunswick, NJ 08901
Empirical Formula, Formula Weight
Technical Specifications Panel
Expiration Information
м Lot Number
-
 Kosher Certified by Kosher, Supervis
of Amorion (KCA)
 Kosher Certified by Kosher Supervis of America (KSA).
er of America (KSA).
of Amorion (KCA)
er of America (KSA). Storage Color Band
er of America (KSA).
90

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave. New Brunswick, NJ 08901 732.214.1300 *West Coast Facility:* 14422 S. San Pedro St. Gardena, CA 90248 310.516.8000