

# **Scientific Documentation**

# Butylated Hydroxytoluene, Granular, NF

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp 769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300





## **Table of Contents**

Product Specification
Certificate of Analysis
Safety Data Sheet (SDS)
Certification of Current Good Manufacturing Practices (cGMP)
Technical Statements
Elemental Impurities Statement
Residual Solvents Statement
General Label Information – Sample Label
Kosher Certification



# Specification for Butylated Hydroxytoluene, Granular, NF (B1196)

Item Number	B1196	
Item	Butylated Hydroxytoluene, Granular, NF	
CAS Number	128-37-0	
Molecular Formula	C <sub>15</sub> H <sub>24</sub> O	
Molecular Weight	220.36	
MDL Number		
Synonyms	2,6-Di-tert-butyl-p-cresol; BHT; Butylated Hydroxytoluene	

Test	Specification		
	Min	Max	
APPEARANCE			
IDENTIFICATION A) FTIR	SPECTRUM MATCHES REFERENCE		
IDENTIFICATION B (HPLC)	RETENTION TIME MATCHES STANDARD		
ASSAY	99.0	101.5 %	
RESIDUE ON IGNITION		0.002 %	
ELEMENTAL IMPURITIES:			
LEAD (Pb)	AS REPORTED		
ARSENIC (As)	AS REPORTED		
ORGANIC IMPURITIES:			
p-Cresol or m-cresol		0.1 %	
3-tert-Butyl-4-hydroxyanisole (BHA)		0.1 %	
3,5-Di-tert-butyl-4-hydroxybenzoic acid		0.1 %	
2-tert-butyl-4-methylphenol or 2-tert-butyl-5-methylphenol		0.1 %	
3,5-Di-tert-butyl-4-hydroxy benzaldehyde		0.1 %	
4,6-Di-tert-butyl-m-cresol		0.1 %	
2,6-Di-tert-butyl-phenol		0.1 %	
INDIVIDUAL IMPURITY		0.1 %	
TOTAL IMPURITIES		0.7 %	

Test	Specificati	on
	Min	Max
CERTIFIED KOSHER		
CERTIFIED HALAL		
RETEST DATE		
MANUFACTURE DATE		
RESIDUAL SOLVENTS	AS REPORTED	
MONOGRAPH EDITION		

#### Spectrum Chemical Mfg Corp

Corporate Headquarters:West Coast Facility:769 Jersey Ave.14422 S. San Pedro St.New Brunswick, NJ 08901Gardena, CA 90248732.214.1300310.516.8000



# **Certificate Of Analysis**

Item Number	B1196	Lot Number	1NC0033
Item	Butylated Hydroxytoluene, Granular, NF	CAS Number	128-37-0
Molecular Formula	C <sub>15</sub> H <sub>24</sub> O	Molecular Weight	220.36

TECT	SPECIFICATION		DECLUT	
TEST	MIN	MAX	RESULT	
APPEARANCE			WHITE CRYSTALS	
IDENTIFICATION A) FTIR	SPECTRUM MATCHES REFERENCE		SPECTRUM MATCHES REFERENCE	
IDENTIFICATION B (HPLC)	RETENTION TIME MATCHES STANDARD		RETENTION TIME MATCHES STANDARD	
ASSAY	99.0	101.5 %	99.8 %	
RESIDUE ON IGNITION		0.002 %	<0.002 %	
ELEMENTAL IMPURITIES:				
LEAD (Pb)	AS REPORTED		<0.5 μg/g	
ARSENIC (As)	AS REPORTED		<1.5 μg/g	
ORGANIC IMPURITIES:				
p-Cresol or m-cresol		0.1 %	<0.1 %	
3-tert-Butyl-4-hydroxyanisole (BHA)		0.1 %	<0.1 %	
3,5-Di-tert-butyl-4-hydroxybenzoic acid		0.1 %	<0.1 %	
2-tert-butyl-4-methylphenol or 2-tert-butyl-5-methylphenol		0.1 %	<0.1 %	
3,5-Di-tert-butyl-4-hydroxy benzaldehyde		0.1 %	<0.1 %	
4,6-Di-tert-butyl-m-cresol		0.1 %	<0.1 %	
2,6-Di-tert-butyl-phenol		0.1 %	<0.1 %	
INDIVIDUAL IMPURITY		0.1 %	<0.1 %	
TOTAL IMPURITIES		0.7 %	<0.7 %	
CERTIFIED KOSHER			CERTIFIED KOSHER	
CERTIFIED HALAL			CERTIFIED HALAL	

TECT	SPECIFICATION		DECLUT
TEST	MIN	MAX	RESULT
RETEST DATE			01-JAN-2027
MANUFACTURE DATE			01-JAN-2024
RESIDUAL SOLVENTS	AS REPORTED		NO RESIDUAL SOLVENTS USED
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ Hernan Bermudez 07-MAR-24 18:02:28

Spectrum Chemical Mfg Corp 14422 South San Pedro Street Gardena 90248 CA



Certificate of Analysis Results Approved By:

SHANSEN Selin Hansen 12-MAR-24 10:00:43

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# SAFETY DATA SHEET SPECTRUM®



Revision date 21-June-2022 Revision Number 5

#### 1. Identification

**Product identifier** 

Product Name BUTYLATED HYDROXYTOLUENE, GRANULAR, NF

Other means of identification

Product Code(s) B1196

Synonyms Butylhydroxytoluene

Recommended use of the chemical and restrictions on use

Recommended use Antioxidant

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

Spectrum Chemical Mfg. Corp. 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

#### 2. Hazard(s) identification

#### Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Label elements**

#### Warning

#### Hazard statements

Harmful if swallowed Causes skin irritation Causes serious eye irritation



Appearance Crystalline granules Physical state Solid Odor No information available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/eye protection/face protection

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

No information available.

#### 3. Composition/information on ingredients

#### **Substance**

**Synonyms** Butylhydroxytoluene.

Chemical name	CAS No	Weight-%	Trade secret
Butylated Hydroxytoluene	128-37-0	100	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products Carbon Monoxide, Carbon Dioxide.

**Explosion data** 

Sensitivity to mechanical impact none.

Sensitivity to static discharge none.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

#### 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

#### 8. Exposure controls/personal protection

#### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure

limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

#### 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid

AppearanceCrystalline granulesColorWhite light yellowOdorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

None known Hq no data available Melting point / freezing point 70 °C / 158 °F None known 265 °C / 509 °F Boiling point / boiling range None known 127 °C / 260.6 °F CC (closed cup) Flash point **Evaporation rate** no data available None known Flammability (solid, gas) no data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor density7.6None knownRelative density1.04None knownWater solubilityInsoluble in waterNone knownSolubility(ies)Soluble in AlcoholNone known

Soluble in Acetone Soluble in Toluene

Soluble in Petroleum Ether

Partition coefficientNo data availableNone known

Autoignition temperature

470 °C / 878 °F

None known None known

Decomposition temperature Kinematic viscosity Dynamic viscosity

no data available No data available None known None known

Other information

Explosive properties
Oxidizing properties
No information available
No information available
No information available

Molecular weight 220.36

VOC Content (%)
Liquid Density
Rulk density
No information available
No information available
No information available

#### 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid**None known based on information supplied.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

#### 11. Toxicological information

#### Information on likely routes of exposure

Product Information

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Irritating to eyes. (based on

components). Causes serious eye irritation.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

**Acute toxicity** 

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butylated Hydroxytoluene	890 mg/kg (Rat)	-	-
128-37-0			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization
Germ cell mutagenicity
Carcinogenicity

No information available.
No information available.
No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Butylated Hydroxytoluene	-	Group 3 - Not classifiable	-	-
128-37-0		- Supplement 7 [1987]		
		Monograph 40 [1986]		

#### Legend

Reproductive toxicity No information available.

STOT - single exposure
STOT - repeated exposure
Target organ effects

No information available.
No information available.
Eyes, Skin.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

#### 12. Ecological information

**Ecotoxicity** 

Locioxion	· · · · · · · · · · · · · · · · · · ·			
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butylated Hydroxytoluene 128-37-0	EC50: =6mg/L (72h, Pseudokirchneriella subcapitata) EC50: >0.42mg/L (72h, Desmodesmus subspicatus)	LC50: =5mg/L (48h, Oryzias latipes)	-	-

Persistence and degradability
Bioaccumulation

No information available.
Inherently biodegradable.

**Component Information** 

Chemical name	Partition coefficient
Butylated Hydroxytoluene 128-37-0	4.17

Other adverse effects No information available.

#### 13. Disposal considerations

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

#### 14. Transport information

**DOT** Not regulated

TDG Not regulated not regulated

MEX Not regulated not regulated

ICAO (air) Not regulated not regulated

**IATA** Not regulated not regulated

IMDG Not regulated not regulated

RID Not regulated not regulated

ADR Not regulated not regulated

ADN Not regulated not regulated

#### 15. Regulatory information

#### **International Inventories**

**TSCA** Complies

DSL/NDSL Complies EINECS/ELINCS Complies

**ENCS** This product complies with ENCS: **IECSC** This product complies with China:

**KECL** Complies **PICCS** Complies

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances (AICS).

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	
Butylated Hydroxytoluene 128-37-0	0814	Present	Present	

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

#### 16. Other information

**NFPA** 

Health hazards 2 Flammability 1

Instability 0

Physical and chemical properties -

HMIS

Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Ceiling Maximum limit value

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 21-June-2022

**Revision Note** No information available.

<u>Disclaimer</u>
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 



#### Certification of Compliance with current Good Manufacturing Practices

#### Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name		
B1196	Butylated Hydroxytoluene, Granular, NF		

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632 Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at <a href="mailto:qualityassurance@spectrumchemical.com">qualityassurance@spectrumchemical.com</a>

Sincerely,

Oralia Chavez

**Quality Assurance Specialist** 

Order Clony



# B1196, Butylated Hydroxytoluene, Granular, NF

#### **Source Statement**

The above mentioned catalog item is manufactured by chemical synthesis. No animal or plant derived products are used in the manufacturing process.

#### **BSE/TSE Statement**

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

#### **Allergen Statement**

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy

- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

## **EU Fragrance Allergen Statement**

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

#### **GMO Statement**

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

#### **Melamine Statement**

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.



#### **Nitrosamine Statement**

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

#### **Animal Testing Statement**

The above mentioned catalog item has not been tested on animals.

#### **Organic Compliance Statement**

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

#### **Shelf Life Statement**

The above mentioned catalog item is typically assigned a shelf life of 36 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

#### **Other Chemicals Statement**

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Antibiotics
- Bisphenol A (BPA)
- CMR Substances

- Parabens
- Pesticides
- Phthalates
- Preservatives



#### RE: Elemental Impurities - Butylated Hydroxytoluene, Granular, NF (Cat# B1196)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

<b>Elemental Impurity</b>		Class	Expected Concentration
Lead	Pb	1	< 0.5 ppm
Arsenic	As	1	< 1.5 ppm

Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <a href="mailto:TechServices@spectrumchemical.com">TechServices@spectrumchemical.com</a>.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY

14422 South San Pedro Street
Gardena, California 90248
PHONE 310.516.8000
FAX 310.516.9843



#### RE: Residual Solvents - Butylated Hydroxytoluene, Granular, NF (Cat# B1196)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at <a href="mailto:TechServices@spectrumchemical.com">TechServices@spectrumchemical.com</a>.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS


769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY

14422 South San Pedro Street
Gardena, California 90248
PHONE 310.516.8000
FAX 310.516.9843

# **spectrum**<sup>®</sup>

#### **Label Information**

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication.



- A Bar Code
- B GHS Hazard Pictograms
- Warning, Safety Data and Precautionary Information
- Product Catalog Number
- Item Name, Form, Grade
- Storage Color Band

- Size/Quantity
- Chemical Abstracts Service (CAS) Registry Number
- Caution Information
- DOT Shipping Information
- Toll-Free 24-Hour Chemical Emergency Telephone Number
- Empirical Formula, Formula Weight and Technical Specifications Panel
- Expiration Information
- Lot Number
- Kosher Certified by Kosher Supervision of America (KSA).

This color-coded band indicates the hazard most likely to be posed by that material under storage conditions. The criteria used to assign band colors have been established by the Storage Code working group of the Society for Chemical Hazard Communication (SCHC). It is recommended that like colors be stored together, unless otherwise stated, based on the color codes indicated to the right. However, it is the responsibility of the customer to check with their local fire department for possible conflicts with our recommendations when storing hazardous chemicals.

### YELLOW: Oxidizer **RED**: Flammable **GREEN:** General Storage **BLUE**: Health Hazard WHITE: Corrosive

#### Spectrum Chemical Mfg Corp

Corporate Headquarters: 769 Jersey Ave.

New Brunswick, NJ 08901

West Coast Facility: 14422 S. San Pedro St. Gardena, CA 90248

732.214.1300 310.516.8000





The following product(s) prepared by the named company are certified kosher with the stated requirements:

#### **Spectrum Laboratory Products, Inc.**

S-0032

14422 South San Pedro Street, Gardena, CA 90248 755-769 Jersey Ave. New Brunswick NJ 08901 USA

**Product Name** B1196, BHT, Granular, NF

**Brand** Spectrum

UKD-ID KSAV3-K8J4A64

D/P/M P

Symbol Required KSA

**Special Conditions** 

This certificate expires on **Feb 01, 2025** 

Rabbi Binyomin Lisbon Kashrus Administrator

Placing the KSA logo on products not listed above constitutes an un-authorized use of the KSA symbol, which is a federally registered trademark.