

Scientific Documentation

Xylose, USP

Not appropriate for regulatory submission.

Please visit www.spectrumchemical.com or contact Tech Services for the most up-to-date information contained in this information package.

Spectrum Chemical Mfg Corp 769 Jersey Avenue New Brunswick, NJ 08901 Phone 732.214.1300





Table of Contents

Product Specification
Certificate of Analysis
Safety Data Sheet (SDS)
Certification of Current Good Manufacturing Practices (cGMP)
Manufacturing Process Flowchart
Technical Statements
Elemental Impurities Statement
Residual Solvents Statement
General Label Information – Sample Label



Specification for Xylose, USP (XY110)

Item Number	XY110
Item	Xylose, USP
CAS Number	58-86-6
Molecular Formula	$C_5H_{10}O_5$
Molecular Weight	150.13
MDL Number	
Synonyms	Wood Sugar ; D-Xylopyranose ; alpha-D-Xylopyranose

Test	Specificat	ion
	Min	Max
ASSAY (DRIED BASIS)	98.0	102.0 %
SPECIFIC ROTATION, [a] _D 25	+18.2° to +19.4°	
COLOR OF A 10% SOLUTION		TO PASS TEST
LOSS ON DRYING		0.1 %
ORGANIC IMPURITIES		TO PASS TEST
RESIDUE ON IGNITION		0.05 %
IRON (Fe)		5 ppm
ELEMENTAL IMPURITIES	AS REPORTED	
IDENTIFICATION		TO PASS TEST
EXPIRATION DATE		
DATE OF MANUFACTURE		
APPEARANCE		
RESIDUAL SOLVENTS		TO PASS TEST

Spectrum Chemical Mfg Corp

Corporate Headquarters:West Coast Facility:769 Jersey Ave.14422 S. San Pedro St.New Brunswick, NJ 08901Gardena, CA 90248732.214.1300310.516.8000



Certificate Of Analysis

Item Number	XY110	Lot Number	1MF0114
Item	Xylose, USP	CAS Number	58-86-6
Molecular Formula	$C_5H_{10}O_5$	Molecular Weight	150.13

TECT	SPECIFI	ICATION	DECLUIT.
TEST	MIN	MAX	RESULT
ASSAY (DRIED BASIS)	98.0	102.0 %	99.09 %
SPECIFIC ROTATION, [a] _D 25	+18.2° to +19.4°		+19.4°
COLOR OF A 10% SOLUTION		TO PASS TEST	PASSES TEST
LOSS ON DRYING		0.1 %	0.1 %
ORGANIC IMPURITIES		TO PASS TEST	PASSES TEST
RESIDUE ON IGNITION		0.05 %	0.03 %
IRON (Fe)		5 ppm	<5 ppm
ELEMENTAL IMPURITIES	AS REPORTED		NO ELEMENTAL IMPURITIES PRESENT
IDENTIFICATION		TO PASS TEST	PASSES TEST
EXPIRATION DATE			20-FEB-2025
DATE OF MANUFACTURE			21-FEB-2023
APPEARANCE			WHITE CRYSTALLINE POWDER
RESIDUAL SOLVENTS		TO PASS TEST	NO RESIDUAL SOLVENTS PRESENT
MONOGRAPH EDITION			(USP-NF) 2023

Certificate of Analysis Results Entered By:

HBERMUDEZ Hernan Bermudez 07-JUL-23 11:13:46

Spectrum Chemical Mfg Corp 14422 South San Pedro Street Gardena 90248 CA



Certificate of Analysis Results Approved By:

DAMILLER Davinn Miller 10-JUL-23 09:21:58 All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.





SAFETY DATA SHEET

Preparation Date: 05/11/2015 Revision date 9/18/2019 Revision Number: G2

1. IDENTIFICATION Product identifier **Product code:** XY110 **Product Name:** XYLOSE, USP Other means of identification (+)-Xylose; D-(+)-Xylose; Wood sugar Synonyms: CAS #: 58-86-6 RTECS# ZF2285000 Not available CI#: Recommended use of the chemical and restrictions on use Recommended use: No information available. No information available Uses advised against Supplier: Spectrum Chemical Mfg. Corp 14422 South San Pedro St. Gardena, CA 90248 (310) 516-8000 Order Online At: https://www.spectrumchemical.com Emergency telephone number Chemtrec 1-800-424-9300 Tom Tyner (USA - West Coast) Contact Person: Ibad Tirmiz (USA - East Coast) **Contact Person:** 2. HAZARDS IDENTIFICATION Classification This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Not a dangerous substance or mixture according to the Globally Harmonized System (GHS) Label elements Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards
Not available

Product code: XY110 Product name: XYLOSE, USP Page 1/10

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
D-(+)Xylose	58-86-6	100

4. FIRST AID MEASURES

First aid measures

General Advice: National Capital Poison Center in the United States can provide assistance if you

have a poison emergency and need to talk to a poison specialist. Call

1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and

shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms

persist, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Health injuries are not known or expected under normal use

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO2). Dry chemical. Water spray mist or

foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous combustion products Carbon Monoxide, Carbon Dioxide.

Specific hazards May be combustible at high temperatures. When heated to

decompositon it emits acrid smoke and irritating fumes.

Special Protective Actions for Firefighters

Specific Methods: No information available

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

Product code: XY110 Product name: XYLOSE, USP Page 2/10

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eyes and clothing. Avoid dust formation. Remove all sources of ignition.

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Cover with plastic sheet to prevent

spreading.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated

surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

	Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
ı	D-(+)Xylose	58-86-6	None	None	None	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
D-(+)Xylose	58-86-6	None	None	None	None

Australia and Mexico

Product code: XY110 Product name: XYLOSE, USP Page 3 / 10

Component	CAS No	Australia	Mexico
D-(+)Xylose	58-86-6	None	None

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures,

local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants

below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses with side-shields. or Goggles

Skin and body protection: Chemical resistant apron

Gloves

Long sleeved clothing

Respiratory protection: Effective dust mask. or. Wear respirator with dust filter. Use a dust respirator

under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to

use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and

immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Appearance: Color: Solid Powder. White.

Odor: Taste **Formula** No information available. Sweet. C5H10O5

Molecular/Formula weight (g/mole): Flammability (solid, gas) Flashpoint (°C/°F):

150.13 no data available No information available

Flash Point Tested according to: **Autoignition Temperature (°C/°F): Lower Explosion Limit (%):** Not available No information available No information available

Upper Explosion Limit (%): Melting point/range(°C/°F): **Decomposition temperature(°C/°F):** No information available 153°-154°C/307.4°-309.2°F No information available

Boiling point/range(°C/°F): **Bulk density:** Density (g/cm3):

No information available No information available No information available

Specific gravity: Vapor pressure @ 20°C (kPa):

No information available 1.525 No information available

Evaporation rate: Vapor density: VOC content (q/L): No information available No information available No information available

Partition coefficient Odor threshold (ppm):

Product code: XY110 Product name: XYLOSE, USP Page 4/10 No information available (n-octanol/water): Viscosity:

No information available No information available

Miscibility: Solubility:

No information available Easily soluble in cold water

Easily soluble in hot water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

<u>Conditions to avoid:</u> Heat. Avoid dust formation. Incompatible materials.

Incompatible Materials: Oxidizing agents

Hazardous decomposition

products:

Carbon oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

D-(+)Xylose CAS No | 58-86-6

LD50/oral/rat = No information available

LD50/oral/mouse = 23 g/kg Oral LD50 Mouse

LD50/dermal/rabbit = No information available **LD50/dermal/rat** = No information available

LC50/inhalation/rat = No information available

LC50/inhalation/mouse = No information available

Other LD50 or LC50information = No information available

Product Information

LD50/oral/rat =

Value - Acute Toxicity = No information available

Product code: XY110 Product name: XYLOSE, USP Page 5/10

LD50/oral/mouse =

Value - Acute Tox = 23 g/kg

LD50/dermal/rabbit

Value - Acute Toxicity = No information available

LD50/dermal/rat

VALUE - Acute Tox = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation May cause irritation of respiratory tract.

Ingestion Health injuries are not known or expected under normal use.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
D-(+)Xylose	58-86-6	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available Developmental Effects: No information available Teratogenic Effects: No information available

Product code: XY110 Product name: XYLOSE, USP Page 6 / 10

Specific Target Organ Toxicity

STOT - single exposure STOT - repeated exposure Target Organs: No information available. No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility in soilNo information availableOther adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
D-(+)Xylose	58-86-6	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated

Proper Shipping Name: No information available Hazard Class No information available Subsidiary Class No information available Packing group: No information available Emergency Response Guide No information available

Number

Marine PollutantNo data availableDOT RQ (lbs):No information availableSpecial ProvisionsNo Information availableSymbol(s):No information availableDescription:No information available

TDG (Canada)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
No information available
Subsidiary Risk:
No information available

Product code: XY110 Product name: XYLOSE, USP Page 7 / 10

Packing Group:No information availableMarine PollutantNo Information availableDescription:No information available

ADR

UN Number Not regulated

Proper Shipping Name:
Transport hazard class(es)
Packing group
Subsidiary Risk:

No information available
No information available
No information available

IMDG

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class:
Subsidiary Risk:
Packing Group:
Marine Pollutant

No information available
No information available
No information available
No information available

RID

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group

No information available
No information available
No information available
No information available

ICAO (air)

UN-No: Not Regulated

Proper Shipping Name:
Hazard Class
Subsidiary Risk:
No information available
No information available
No information available
No information available

IATA

UN Number Not Regulated

Proper Shipping Name:
Transport hazard class(es)
Subsidiary Risk:
Packing group
Precautionary Statements
No information available
No information available
No information available
No information available

Response

Special Provisions No information available

15. REGULATORY INFORMATION

International Inventories

Compo	onent	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
D-(+)Xylose		58-86-6	PresentACTIV E	Present KE-35439	Present	Present (9)-318	Present	Present	Present 200-400-7

U.S. Regulations

D-(+)Xylose

FDA - 21 CFR - Total Food Additives Present (not regulated under 21 CFR)

- List Sourced from EAFUS

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Product code: XY110 Product name: XYLOSE, USP Page 8 / 10

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male	Female
				Reproductive	Reproductive
				Toxicity	Toxicity:
D-(+)Xylose	58-86-6	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous	Section 302 Extremely	Section 302 Extremely	Section 313 - Chemical Category	Section 313 - Reporting
		Substances and their Reportable Quantities	Hazardous Substances and TPQs	Hazardous Substances and RQs		de minimis
	ļ	- Quantities	ana n ws	1/42		
D-(+)Xylose	58-86-6	None	None	None	None	None

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	
D-(+)Xylose	58-86-6	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component D-(+)Xylose 58-86-6 (100) WHMIS 2015 Hazard Classification

Combustible Dust - Category 1: May form combustible dust concentrations in air (factors such as combustibility and explosiveness of dusts including composition and shape and size of particles could cause substance to belong to 'Combustible dust' hazard class)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
D-(+)Xylose	58-86-6	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
D-(+)Xylose	58-86-6	Not listed
Component		CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
D-(+)Xylose	58-86-6	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Product code: XY110 Product name: XYLOSE, USP Page 9 / 10

Component	CAS No	EU GHS - SV - CLP (1272/2008)
D-(+)Xylose	58-86-6	

EU - CLP (1272/2008)

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
D-(+)Xylose	58-86-6		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None

16. OTHER INFORMATION

Preparation Date:05/11/2015Revision date9/18/2019Prepared by:Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Product code: XY110 Product name: XYLOSE, USP Page 10 / 10



Certification of Compliance with current Good Manufacturing Practices

Dear Valued Customer:

Spectrum Chemical Mfg Corp certifies that the following product(s) is produced, processed, packaged and held in compliance with current Good Manufacturing Practices (cGMP) in accordance with the applicable parts of 21 CFR, parts 210 and 211 of the Code of Federal Regulations.

Catalog Number	Product Name
XY110	Xylose, USP

Spectrum is an FDA registered and inspected Drug Establishment. Our United States Food and Drug Administration (USFDA) Registration numbers are as follows:

Spectrum-Gardena, CA: 2020632 Spectrum-New Brunswick, NJ: 2246824

Thank you for your interest in Spectrum products. If we may be of further assistance, please feel free to contact the Quality Assurance department at 310-516-8000 or via email at qualityassurance@spectrumchemical.com

Sincerely,

Oralia Chavez


Quality Assurance Specialist

Order Clony



Manufacturing Process Flowchart

Xylose, USP (Cat# XY110)



CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY



XY110, Xylose, USP

Source Statement

The above mentioned catalog item is manufactured by chemical synthesis from plant derived material (corn). No animal derived products are used in the manufacturing process.

BSE/TSE Statement

The above mentioned catalog item does not contain nor is manufactured using any animal derived products and is therefore, BSE/TSE free.

Allergen Statement

The above mentioned catalog item does not contain any of the following:

- Milk
- Egg
- Fish
- Shellfish
- Tree Nuts
- Wheat
- Peanuts
- Soy

- Cereals containing Gluten
- Celery
- Mustard
- Sesame Seed
- Corn
- Latex
- Sulfites > 10 ppm

EU Fragrance Allergen Statement

The above mentioned catalog item does not contain any of the 26 EU fragrance allergens listed in Annex III lines 67-92. These substances are not intentionally added to the following chemical and therefore are not expected to be present.

GMO Statement

The above mentioned catalog item is manufactured without the use of genetically modified organisms and is therefore GMO free.

Melamine Statement

The above mentioned catalog does not use or add melamine to the manufacturing process and is considered melamine-free.



Nitrosamine Statement

Based on knowledge of the manufacturing process, nitrosamine impurities are not known or suspected to be present in this material.

Animal Testing Statement

The above mentioned catalog item has not been tested on animals.

Organic Compliance Statement

The above mentioned catalog item has not been produced using GMOs, irradiation, ethylene oxide (EtO) or sewage sludge.

Shelf Life Statement

The above mentioned catalog item is typically assigned a shelf life of 24 months from the date of manufacture. The actual assigned shelf life for any specific lot should be referenced on the Certificate of Analysis.

Other Chemicals Statement

Spectrum does not have any reason to suspect the above mentioned catalog item contains any of the following chemicals. This product does not come into contact with these chemicals during packaging or storage:

- Aflatoxins
- Antibiotics
- Bisphenol A (BPA)
- CMR Substances

- Parabens
- Pesticides
- Phthalates
- Preservatives



RE: Elemental Impurities - Xylose, USP (Cat# XY110)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above material complies with the USP<232>, <233> Elemental Impurities and the ICH Q3D Elemental Impurities Guideline. The following elemental impurities are likely to be present:

Elemental Impurity		Class	Expected Concentration
Cadmium	Cd	1	< 1 ppm
Lead	Pb	1	< 3 ppm
Arsenic	As	1	< 1 ppm
Mercury	Hg	1	< 0.1 ppm
Cobalt	Со	2A	Lot specific analysis*
Vanadium	V	2A	Lot specific analysis*
Nickel	Ni	2A	Lot specific analysis*
Thallium	TI	2B	Not tested
Gold	Au	2B	Not tested
Palladium	Pd	2B	Not tested
Iridium	Ir	2B	Not tested
Osmium	Os	2B	Not tested
Rhodium	Rh	2B	Not tested
Ruthenium	Ru	2B	Not tested
Selenium	Se	2B	Not tested
Silver	Ag	2B	Not tested
Platinum	Pt	2B	Not tested
Lithium	Li	3	Not tested
Antimony	Sb	3	Not tested
Barium	Ba	3	Not tested
Molybdenum	Мо	3	Not tested
Copper	Cu	3	Not tested
Tin	Sn	3	Not tested
Chromium	Cr	3	Not tested

Elements indicated as "Not tested" are not intentionally added to the manufacturing process.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY

^{*} Refer to CofA for lot specific analysis



Other elemental impurities considered by USP <232>, <233> and ICH Q3D which are not addressed in the above mentioned table are not likely to be present. These substances are not used in the production process, are not intentionally added or known to be present in the above mentioned material.

This information is subject to change and is intended for risk assessment only. It is responsibility of the end user to evaluate suitability of any chemical for the intended use as well as to assess compound-specific limits of daily intake of metal impurities. For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY



RE: Residual Solvents - Xylose, USP (Cat# XY110)

To Whom It May Concern:

Thank you for your interest in Spectrum high quality chemicals.

The above mentioned catalog item complies with the requirements of the USP <467> Residual Solvents and the ICH Q3C Residual Solvents Guideline. No Class 1, Class 2, Class 3 or other solvents are used or produced in the manufacture of this product.

For lot-specific information, please refer to the respective Certificate of Analysis.

If you have any further questions, please contact us by telephone at 1(800)772-8786 Option 2, or by email at TechServices@spectrumchemical.com.

Sincerely,

Technical Services
Spectrum Chemical Mfg. Corp.

This document has been produced electronically and is valid without a signature.

CORPORATE HEADQUARTERS

769 Jersey Avenue New Brunswick, NJ 08901 PHONE 732.214.1300 FAX 732.246.7132 WEST COAST FACILITY



Label Information

The Spectrum label presents technical and safety information in an easily understood format. Our technical specialists stay abreast of the latest requirements of the Globally Harmonized System for Classification and Labelling of Chemicals (GHS), as well as the Occupational Safety and Health Administration (OSHA), the Food and Drug Administration (FDA) and other government regulatory agencies in order to ensure compliance, accuracy and concise hazard communication. Below you will find a typical label example for this catalog item.

USE CARE: This material has been evaluated per GHS/OSHA criteria and is not classified as hazardous. All chemicals may pose unknown hazards and must be used with caution. Use personal protection and safe handling methods consistent with proper workplace safety practices. Consult SDS for additional properties and precautions. If adverse reaction occurs seek medical attention.

KEEP FROM CHILDREN

XY110

SIZ SY

Xylose

(D-Xylopyranose)

USP

CAS 58-86-6

CAUTION: For manufacturing, processing or repacking.

Read and understand the label and Safety Data Sheet (SDS) prior to use.

Chemical Emergency: (800)424-9300

www.SpectrumChemical.com

 $C_5H_{10}O_5$ F.W. 150.13

. 98.0-102.0%
8.2° to +19.4°
To pass test
0.1%
1.0%
2.0%
0.05%
5 ppm
As reported
To pass test

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov

G 11/J2GHS

Lot No. XQ####

Spectrum Chemical Mfg Corp

Corporate Headquarters:

769 Jersey Ave. New Brunswick, NJ 08901

West Coast Facility: 14422 S. San Pedro St.

Gardena, CA 90248

310.516.8000

732.214.1300