

# TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

# 1. IDENTIFICATION

Product name: tert-Butyl Alcohol

Product code: B0706

Product use:For laboratory research purposes.Restrictions on use:Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.) +1-703-527-3887 (International)

Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

#### 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Inhalation [Category 4]

WHMIS 2015: Eye Damage/Irritation [Category 2A]
Toxic to Reproduction [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 3]

Flammable Liquids [Category 2]

Signal word: Danger!

Hazard Statement(s): Highly flammable liquid and vapor

Harmful if inhaled

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness.

Pictogram(s) or Symbol(s):







# Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust, fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

[Response]

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed or concerned: Get medical advice or attention.

[Storage]

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Causes mild skin irritation. May be harmful if swallowed.

[Disposal]

Hazards not otherwise classified:

Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

[HNOC]

tert-Butyl Alcohol TCI AMERICA Page 2 of 5

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:SubstanceComponents:tert-Butyl AlcoholPercent:>99.0%(GC)CAS RN:75-65-0Molecular Weight:74.12Chemical Formula:C4H10O

Synonyms: 2-Methyl-2-propanol, tert-Butanol

#### 4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention.

**Skin contact:** Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Get medical advice/attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get

medical advice/attention.

Ingestion: Get medical advice/attention.Rinse mouth.

Symptoms/effects:

Acute: Dizziness. Redness. Drowsiness.

Delayed: May have effects on the respiratory tract.

#### Indication of any immediate medical attention:

Not available.

Notes to physician: No data available

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, water in large amounts, carbon dioxide.

Hazardous combustion products: These products include: Carbon oxides

Other specific hazards: Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (P3 filter respirator for toxic particles). Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area

by roping off, etc.

**Environmental precautions:** Prevent product from entering drains.

Methods and materials for containment

and cleaning up:

Prevention of secondary hazards:

Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use

spark-proof tools and explosion-proof equipment.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent

dispersion of dust. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Wash hands and face thoroughly after handling.

Use a closed system if possible. Use a local exhaust if dust or aerosol will be generated. Avoid all contact!

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool, dark and well-ventilated place.

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Comply with laws.

tert-Butyl Alcohol **TCI AMERICA** Page 3 of 5

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** 

ACGIH TLV(TWA): 100 ppm 100 ppm OSHA PEL(TWA): JSOH OELs(TWA): 50 ppm

Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed Appropriate engineering controls:

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Dust respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators Respiratory protection:

approved under appropriate government standards and follow local and national regulations.

Hand protection: Impervious gloves.

Safety goggles. A face-shield, if the situation requires. Eye protection:

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid

Form: Crystal - Lump Colour: White - Almost white Odour: Characteristic Odor threshold: No data available Odour threshold: No data available

Melting point/freezing point: 25°C (Freezing point) (77°F) pH: No data available Boiling point/range: 82°C (180°F) No data available. Vapour pressure:

**Decomposition temperature:** No data available Vapour density:

No data available Relative density: **Dynamic Viscosity:** No data available

Kinematic viscosity: No data available

Log Pow: No data available **Evaporation rate(Butyl** No data available

Acetate=1):

Flash point: 11°C (52°F) Autoignition temperature: 470°C (878°F)

Flammability or explosive limits: Flammability(solid, gas): No data available

2.4% Lower: Upper: 8%

Solubility(ies):

Very soluble [Water] [Other solvents]

Ether, Alcohols Very soluble:

# 10. STABILITY AND REACTIVITY

No data available Reactivity:

Chemical stability: Stable under proper conditions.

No special reactivity has been reported. Possibility of hazardous reactions: Conditions to avoid: Spark, Open flame, Static discharge

Incompatible materials: Oxidizing agents, Metals

Hazardous decomposition products: Carbon dioxide, Carbon monoxide tert-Butyl Alcohol TCI AMERICA Page 4 of 5

#### 11. TOXICOLOGICAL INFORMATION

RTECS Number: EO1925000

**Acute Toxicity:** 

orl-rat LD50:2733 mg/kg skn-rbt LD50:>2 g/kg ihl-rat LC50:14100 ppm/4H ipr-rat LD50:900 mg/kg

**Skin corrosion/irritation:** skn-rbt 500 uL/24H MLD

Serious eye damage/irritation:

eye-rbt 100 uL/24H SEV

Respiratory or skin sensitization:

No data available

**Germ cell mutagenicity:** cyt-oin-par 12500 mg/kg

mmo-sat 2 mg/plate (+S9)

Carcinogenicity:

orl-rat TDLo:144,2 g/kg/103W-C

IARC: No data available NTP: No data available OSHA: No data available

Reproductive toxicity:

ihl-rat TCLo:2000 ppm/7H (1-19D preg) orl-mus TDLo:20240 mg/kg (6-18D preg)

Target organ(s):

May cause respiratory irritation.

May cause drowsiness or dizziness.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** 

Fish: 48h LC50:5500 ppm (Oryzias latipes)

Crustacea: No data available
Algae: No data available

Persistence / degradability: 2.5 % (by BOD), 13.0 % (by TOC), 10.5 % (by GC)

Bioaccumulative potential(BCF): <0.5 (conc. 6 ppm), <5 (conc. 0.6 ppm)

Mobility in soil

Log Pow: 0.3
Soil adsorption (Koc): 37
Henry's Law (PaM ³/mol): 0.9

# 13. DISPOSAL CONSIDERATIONS

Disposal of product:

Disposal of container:

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

tert-Butyl Alcohol TCI AMERICA Page 5 of 5

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1120 Butanols 3 Flammable liquid

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1120 Butanols 3 Flammable liquid

**IMDG** 

er:

UN UN1120 Proper Shipping Name: Class or Division: Packing Group:

numb Butanols 3 Flammable liquid II

EmS number: F-E, S-D

Reportable Quantitiy: 5000 Pounds (2270 Kilograms)

#### 15. REGULATORY INFORMATION

#### Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

#### **US Federal Regulations**

**CERCLA Hazardous substance and Reportable Quantity:** 

SARA 313: Listed SARA 302: Not Listed

**State Regulations** 

State Right-to-Know

MassachusettsListedNew JerseyListedPennsylvaniaListedCalifornia Proposition 65:Not Listed

Other Information

NFPA Rating: HMIS Classification:
Health: 2
Flammability: 3
Instability: 0
HMIS Classification:
Health: 2
Flammability: 3
Flammability: 3
Physical: 0

**International Inventories** 

 Canada: DSL
 On DSL

 EC-No:
 200-889-7

# 16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.